

Moose Harvest Data

1999

GMU	1999 NonRes	NR %	Urban Res	UR %	
12	138	28	20%	31	22%
13A	168	18	11%	107	64%
13B	274	20	7%	143	52%
13C	115	4	3%	71	62%
13E	169	21	12%	96	57%
13A, B, C, E	726	63	9%	417	57%
16B	351	43	12%	194	55%
19A	117	20	17%	7	6%
19D	96	15	16%	15	16%
20E	139	17	12%	50	36%
12/20E	277	45	16%	81	29%

2000

GMU	2000 NonRes	NR %	Urban Res	UR %	
12	113	21	19%	24	21%
13A	115	6	5%	83	72%
13B	148	6	4%	77	52%
13C	102	9	9%	59	58%
13E	96	13	14%	62	65%
13A, B, C, E	461	34	7%	281	61%
16B	307	33	11%	159	52%
19A	106	31	29%	9	8%
19D	84	3	4%	14	17%
20E	148	15	10%	60	41%
12/20E	261	36	14%	84	32%

2001

GMU	2001 NonRes	NR %	Urban Res	UR %	
12	101	21	21%	21	21%
13A	122	4	3%	84	69%
13B	125	5	4%	66	53%
13C	63	3	5%	36	57%
13E	86	11	13%	47	55%
13 A, B, C, E	396	23	6%	233	59%
16B	153	5	3%	86	56%
19A	96	11	11%	10	10%
19D	94	12	13%	6	6%
20E	153	17	11%	72	47%
12/20E	254	38	15%	93	37%

2002

GMU	2002 NonRes	NR %	Urban Res	UR %	
12	124	6	5%	28	23%
13A	170	1	1%	131	77%
13B	164	1	1%	94	57%
13C	80	0	0%	46	58%
13E	90	0	0%	56	62%
13 A, B, C, E	504	2	0%	327	65%

16B	105	3	3%	54	51%
19A	67	18	27%	4	6%
19D	115	0	0%	13	11%
20E	170	20	12%	85	50%
12/20E	294	26	9%	113	38%

2003

GMU	2003 NonRes	NR %	Urban Res	UR %	
12	136	36	26%	27	20%
13A	173	1	1%	142	82%
13B	161	0	0%	106	66%
13C	72	0	0%	36	50%
13E	116	0	0%	80	69%
13A, B, C, E	522	1	0%	364	70%
16B	232	4	2%	134	58%
19A	67	16	24%	7	10%
19D	91	3	3%	5	5%
20E	129	26	20%	49	38%
12/20E	265	62	23%	76	29%

2004

GMU	2004 NonRes	NR %	Urban Res	UR %	
12	137	34	25%	37	27%
13A	216	1	0%	167	77%
13B	99	0	0%	77	78%
13C	62	0	0%	37	60%
13E	115	0	0%	69	60%
13A, B, C, E	492	1	0%	350	71%
16B	218	0	0%	116	53%
19A	106	3	3%	2	2%
19D	70	3	4%	4	6%
20E	100	20	20%	44	44%
12/20E	237	54	23%	81	34%

2005

GMU	2005 NonRes	NR %	Urban Res	UR %	
12	136	30	22%	39	29%
13A	184	0	0%	142	77%
13B	113	1	1%	78	69%
13C	50	0	0%	28	56%
13E	103	0	0%	81	79%
13A, B, C, E	450	1	0%	329	73%
16B	158	0	0%	91	58%
19A	175	5	3%	5	3%
19D	94	8	9%	8	9%
20E	138	31	22%	63	46%
12/20E	274	61	22%	102	37%

TOTALS

GMU		NR %	UR %
-----	--	------	------

13A, B, C, E	3%	65%
16B	4%	55%
19A	16%	7%
19D	7%	10%
12/20E	17%	34%

Non-Rural Areas Considered in Data

- non-Alaska city
- Anchorage
- Eagle River
- Chugiak
- Peters Creek
- Eielson AFB
- Elmendorf
- Ft. Richardson
- Ft. Wainwright
- Girdwood
- Fairbanks
- Palmer
- Wasilla
- Juneau
- North Pole
- Non-Resident

Ft. Greely?

Rural Res	RR %	N&U %
78	57%	43%
41	24%	74%
108	39%	59%
40	35%	65%
49	29%	69%
238	33%	66%
107	30%	68%
84	72%	23%
66	69%	31%
71	51%	48%
149	54%	45%

Rural Res	RR %	N&U %
67	59%	40%
25	22%	77%
63	43%	56%
33	32%	67%
21	22%	78%
142	31%	68%
112	36%	63%
62	58%	38%
66	79%	20%
73	49%	51%
140	54%	46%

Rural Res	RR %	N&U %
56	55%	42%
34	28%	72%
52	42%	57%
24	38%	62%
28	33%	67%
138	35%	65%
62	41%	59%
66	69%	22%
76	81%	19%
64	42%	58%
120	47%	52%


Rural Res	RR %	N&U %
68	55%	27%
34	20%	78%
30	18%	58%
33	41%	58%
29	32%	62%
126	25%	65%

48	46%	54%
44	66%	33%
101	88%	11%
63	37%	62%
131	45%	47%


Rural Res	RR %	N&U %
71	52%	46%
27	16%	83%
36	22%	66%
32	44%	50%
30	26%	69%
125	24%	70%
92	40%	59%
42	63%	34%
80	88%	9%
53	41%	58%
124	47%	52%

Rural Res	RR %	N&U %
65	47%	52%
45	21%	78%
22	22%	78%
22	35%	60%
41	36%	60%
130	26%	71%
99	45%	53%
101	95%	5%
61	87%	10%
36	36%	64%
101	43%	57%

Rural Res	RR %	N&U %
64	47%	51%
42	23%	77%
34	30%	70%
22	44%	56%
22	21%	79%
120	27%	73%
67	42%	58%
163	93%	6%
73	78%	17%
41	30%	68%
105	38%	59%



68%
59%
23%
17%
51%



**ent Hunters in Predation Control Areas
1999-2005**



